

## 2008 Pacific island Red List for PLANTS

### Contents

<b><i>Phylum Bryophyta</i></b> _____	<b>2</b>
Class Anthocerotopsida _____	2
Class Bryopsida _____	2
Class Marchantiopsida _____	2
<b><i>Phylum Tracheophyta</i></b> _____	<b>2</b>
Class Coniferopsida _____	2
Class Cycadopsida _____	5
Class Liliopsida _____	5
Class Magnoliopsida _____	8

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<b>F L O R A</b> (Plantae)				
<b>P H Y L U M B R Y O P H Y T A</b> (Mosses)				
<b>CLASS ANTHOCEROTOPSIDA</b> (Hornworts)				
<b>ANTHOCEROTALES</b>				
ANTHOCEROTACEAE <i>Dendroceros japonicus</i>	VU	A1c	FM	2000
<b>CLASS BRYOPSIDA</b> (True Mosses)				
<b>BRYALES</b>				
SPHAGNACEAE (Sphagnum) <i>Sphagnum novo-caledoniae</i>	VU	D2	NC (e)	2000
<b>CLASS MARCHANTIOPSIDA</b> (Complex Thalloid Liverworts)				
<b>JUNGERMANNIALES (Leafy liverworts)</b>				
JUNGERMANNIACEAE <i>Nardia huerlimannii</i>	VU	D2	NC (e)	2000
PERSONIELLACEAE <i>Perssoniella vitreocincta</i>	VU	B1+2c	NC (e)	2000
SCHISTOCHILACEAE <i>Schistochila undulatifolia</i>	CR	B1+2c	PG (e)	2000
<b>P H Y L U M T R A C H E O P H Y T A</b> (VASCULAR PLANTS)				
<b>CLASS CONIFEROPSIDA</b> (CONE-BEARING GYMNOSPERMS)				
<b>CONIFERALES (Conifers)</b>				
ARAUCARIACEAE (Monkey puzzles, Wollemis etc) <i>Agathis australis</i>	LR/cd		NC	2000
<i>Agathis corbassonii</i> Red Kauri	VU	B1+2c	NC (e)	1998
<i>Agathis labillardieri</i>	LR/lc		PG	1998
<i>Agathis lanceolata</i>	LR/cd		NC (e)	1998
<i>Agathis macrophylla</i>	LR/nt		FJ, SB, VU	2000
<i>Agathis montana</i>	LR/cd		NC (e)	1998
<i>Agathis moorei</i> White Kauri	VU	B1+2c	NC (e)	1998
<i>Agathis ovata</i>	LR/cd		NC (e)	1998
<i>Agathis robusta</i>	LR/lc		PG	1998
<i>Agathis silbae</i>	VU	D2	VU (e)	1998
<i>Agathis spathulata</i> New Guinea Kauri	LR/nt		PG (e)	1998
<i>Araucaria bernieri</i>	LR/cd		NC (e)	1998
<i>Araucaria biramulata</i>	LR/cd		NC (e)	1998
<i>Araucaria columnaris</i>	LR/lc		NC (e)	1998
<i>Araucaria heterophylla</i>	VU	B1+2c	NF (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
Norfolk Island Pine <i>Araucaria humboldtensis</i>	LR/cd		NC (e)	1998
<i>Araucaria hunsteinii</i>	LR/nt		PG (e)	1998
Klinkii Pine <i>Araucaria laubenfelsii</i>	LR/cd		NC (e)	1998
<i>Araucaria luxurians</i>	EN	B1+2c	NC (e)	1998
<i>Araucaria montana</i>	LR/lc		NC (e)	1998
<i>Araucaria muelleri</i>	LR/cd		NC (e)	1998
<i>Araucaria nemorosa</i>	CR	B1+2c	NC (e)	1998
<i>Araucaria rulei</i>	EN	C1	NC (e)	1998
<i>Araucaria schmidii</i>	VU	D2	NC (e)	1998
<i>Araucaria scopulorum</i>	EN	B1+2c	NC (e)	1998
<i>Araucaria subulata</i>	LR/cd		NC (e)	1998
CUPRESSACEAE (Cypress)				
<i>Callitris neocaledonica</i>	LR/cd		NC (e)	1998
<i>Callitris sulcata</i>	EN	B1+2c	NC (e)	1998
<i>Libocedrus austro-caledonica</i>	LR/cd		NC (e)	1998
<i>Libocedrus chevalieri</i>	EN	B1+2de	NC (e)	1998
<i>Libocedrus yateensis</i>	VU	B1+3d, C2a	NC (e)	1998
<i>Neocallitropsis pancheri</i>	VU	A1c, B1+2b	NC (e)	1998
<i>Papuacedrus papuana</i>	LR/lc		PG	1998
PHYLLOCLADACEAE (Celery Pine)				
<i>Phyllocladus hypophyllus</i>	LR/lc		PG	1998
PODOCARPACEAE (Podocarps)				
<i>Acmopyle pancheri</i>	LR/nt		NC (e)	2000
<i>Acmopyle sahniana</i>	CR	D	FJ (e)	2000
<i>Dacrycarpus cinctus</i>	LR/lc		PG	1998
<i>Dacrycarpus compactus</i>	LR/lc		PG	1998
<i>Dacrycarpus expansus</i>	LR/lc		PG (e)	1998
<i>Dacrycarpus imbricatus</i>	LR/lc		FJ, PG, VU	1998
<i>Dacrycarpus vieillardii</i>	LR/lc		NC (e)	1998
<i>Dacrydium araucarioides</i>	LR/lc		NC (e)	1998
<i>Dacrydium balansae</i>	LR/lc		NC (e)	1998
<i>Dacrydium beccarii</i>	LR/lc		PG, SB	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Dacrydium cornwalliana</i>	LC		PG	2007
<i>Dacrydium guillauminii</i>	CR	B1+2c, C1	NC (e)	2000
<i>Dacrydium lycopodioides</i>	LR/cd		NC (e)	1998
<i>Dacrydium magnum</i>	LR/lc		PG	1998
<i>Dacrydium nausoriense</i>	EN	A1cd, B1+2ce, C1	FJ (e)	1998
<i>Dacrydium nidulum</i>	LR/lc		FJ, PG	1998
<i>Dacrydium novo-guineense</i>	LR/lc		PG	1998
<i>Dacrydium xanthandrum</i>	LR/lc		PG	1998
<i>Falcatifolium papuanum</i>	LR/lc		PG (e)	1998
<i>Falcatifolium taxoides</i>	LR/lc		NC (e)	1998
<i>Parasitaxus ustus</i>	LR/nt		NC (e)	1998
<i>Podocarpus affinis</i>	VU	A1c+2c	FJ (e)	2000
<i>Podocarpus archboldii</i>	LR/lc		PG	1998
<i>Podocarpus atjehensis</i>	NT		PG	2007
<i>Podocarpus beecherae</i>	CR	B1ab(iii)+2ab(iii)	NC (e)	2007
<i>Podocarpus brassii</i>	LR/lc		PG	1998
<i>Podocarpus crassigemmis</i>	LR/lc		PG	1998
<i>Podocarpus decumbens</i>	VU	D2	NC (e)	1998
<i>Podocarpus degeneri</i>	LR/lc		FJ (e)	1998
<i>Podocarpus glaucus</i>	LR/lc		PG, SB	1998
<i>Podocarpus gnidioides</i>	LR/lc		NC (e)	1998
<i>Podocarpus insularis</i>	LR/lc		PG, SB, VU	1998
<i>Podocarpus ledermannii</i>	LR/lc		PG	1998
<i>Podocarpus longifoliolatus</i>	EN	B2ab(iii)	NC (e)	2007
<i>Podocarpus lucienii</i>	LR/lc		NC (e)	1998
<i>Podocarpus neriifolius</i>	LR/lc		FJ, PG, SB	1998
<i>Podocarpus novae-caledoniae</i>	LR/lc		NC (e)	1998
<i>Podocarpus pallidus</i>	VU	D1+2	TO (e)	2007
<i>Podocarpus pilgeri</i>	LR/lc		PG	2000
<i>Podocarpus polyspermus</i>	VU	B1+2b	NC (e)	2000

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Podocarpus polystachyus</i>	LR/lc		PG	1998
<i>Podocarpus pseudobracteatus</i>	LR/lc		PG	1998
<i>Podocarpus rubens</i>	LR/lc		PG	1998
<i>Podocarpus rumphii</i>	LR/lc		PG	1998
<i>Podocarpus salomoniensis</i>	DD		SB (e)	2000
<i>Podocarpus spathoides</i>	DD		PG, SB	1998
<i>Podocarpus sylvestris</i>	LR/lc		NC (e)	1998
<i>Prumnopitys ferruginoides</i>	LR/lc		NC (e)	1998
<i>Retrophyllum comptonii</i>	LR/lc		NC (e)	1998
<i>Retrophyllum minor</i>	EN	C1+2a	NC (e)	1998
<i>Retrophyllum vitiense</i>	LR/lc		FJ, PG, SB	1998
<i>Sundacarpus amarus</i>	LR/lc		PG	1998
TAXACEAE (Yews) <i>Austrotaxus spicata</i>	LR/nt		NC (e)	2000
<b>CLASS CYCADOPSIDA (CYCADS)</b>				
<b>CYCADALES (Palm-like Gymnosperms)</b>				
CYCADACEAE (Palm-like trees or shrubs)				
<i>Cycas apoa</i>	NT		PG	2003
<i>Cycas bougainvilleana</i>	NT		PG, SB	2003
<i>Cycas campestris</i>	NT		PG (e)	2003
<i>Cycas micronesica</i>	EN	A3ce	GU, FM, MP, PW	2006
<i>Cycas papuana</i>	NT		PG	2003
<i>Cycas rumphii</i>	NT		FJ	2003
<i>Cycas schumanniana</i>	NT		PG (e)	2003
<i>Cycas scratchleyana</i>	NT		PG	2003
<i>Cycas seemanii</i>	VU	A2c	FJ, NC, TO, VU	2003
<b>CLASS LILIOPSIDA (LILIES)</b>				
<b>ARECALES (Flowering palms)</b>				
PALMAE (Palms)				
<i>Actinokentia huerlimannii</i>	LR/cd		NC (e)	1998
<i>Alloschmidia glabrata</i>	VU	D2	NC (e)	1998
<i>Alsmithia longipes</i>	EN	A1c	FJ (e)	1998
<i>Areca guppyana</i>	DD		SB (e)	1998
<i>Balaka longirostris</i>	LR/lc		FJ (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Balaka macrocarpa</i>	CR	A1c	FJ (e)	1998
<i>Balaka microcarpa</i>	EN	A1c	FJ (e)	1998
<i>Balaka seemanii</i>	LR/lc		FJ (e)	1998
<i>Basselinia favieri</i>	VU	D1	NC (e)	1998
<i>Basselinia humboldtiana</i>	LR/cd		NC (e)	1998
<i>Basselinia iterata</i>	VU	D2	NC (e)	1998
<i>Basselinia porphyrea</i>	LR/cd		NC (e)	1998
<i>Basselinia tomentosa</i>	VU	D2	NC (e)	1998
<i>Basselinia vestita</i>	VU	D2	NC (e)	1998
<i>Brongniartikentia lanuginosa</i>	LR/cd		NC (e)	1998
<i>Carpoxylon macrospermum</i>	CR	D	VU (e)	1998
<i>Chambeyronia lepidota</i>	LR/cd		NC (e)	1998
<i>Clinostigma exorrhizum</i>	LR/lc		FJ (e)	1998
<i>Clinostigma haerestigma</i>	DD		SB (e)	1998
<i>Clinostigma harlandii</i>	LR/nt		VU (e)	1998
<i>Clinostigma samoense</i>	EN	A1c	WS (e)	1998
<i>Cyphophoenix elegans</i>	VU	B1+2c	NC (e)	1998
<i>Cyphophoenix nucele</i>	CR	B1+2c	NC (e)	1998
<i>Cyphosperma tanga</i>	CR	A1c	FJ (e)	1998
<i>Cyphosperma trichospadix</i>	VU	A1c	FJ (e)	1998
<i>Cyphosperma voutmelensis</i>	EN	D	VU (e)	1998
<i>Cyrtostachys kisu</i>	DD		SB (e)	1998
<i>Drymophloeus lepidotus</i>	DD		SB (e)	1998
<i>Drymophloeus pachycladus</i>	DD		SB (e)	1998
<i>Drymophloeus samoensis</i>	CR	D	WS (e)	1998
<i>Drymophloeus subdistichus</i>	DD		SB (e)	1998
<i>Gulubia hombronii</i>	DD		SB (e)	1998
<i>Gulubia microcarpa</i>	VU	A1c	FJ (e)	1998
<i>Kentiopsis oliviformis</i>	EN	B1+2c	NC (e)	1998
<i>Lavoixia macrocarpa</i>	CR	D	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Livistona woodfordii</i>	VU	D2	SB (e)	1998
<i>Mackeeea magnifica</i>	VU	B1+2c	NC (e)	1998
<i>Metroxylon amicarum</i>	VU	D2	FM (e)	1998
<i>Metroxylon warburgii</i>	LR/lc		SB, VU	1998
<i>Moratia cerifera</i>	LR/lc		NC (e)	1998
<i>Neoveitchia storckii</i>	EN	A1c	FJ (e)	1998
<i>Pelagodoxa henryana</i>	CR	B1+2d	PF (e)	1998
<i>Physokentia dennisii</i>	DD		SB (e)	1998
<i>Physokentia tete</i>	LR/nt		VU (e)	1998
<i>Physokentia thurstonii</i>	LR/nt		FJ (e)	1998
<i>Pritchardia thurstonii</i>	LR/nt		FJ (e)	1998
<i>Pritchardia woodfordiana</i>	DD		SB (e)	1998
<i>Pritchardiopsis jeanneneyi</i>	CR	D	NC (e)	1998
<i>Ptychosperma gracile</i>	EN	A1a+2c	PG (e)	1998
<i>Ptychosperma hentyi</i>	EN	A1a+2c	PG (e)	1998
<i>Rhopaloblaste elegans</i>	DD		SB (e)	1998
<i>Veitchia filifera</i>	DD		FJ (e)	1998
<i>Veitchia joannis</i>	LR/lc		FJ (e)	1998
<i>Joannis Palm</i>				
<i>Veitchia macdanielsii</i>	LR/lc		VU (e)	1998
<i>Veitchia metiti</i>	LR/cd		VU (e)	1998
<i>Veitchia montgomeryana</i>	EN	A1c	VU (e)	1998
<i>Veitchia pedionoma</i>	VU	D2	FJ (e)	1998
<i>Veitchia petiolata</i>	DD		FJ (e)	1998
<i>Veitchia simulans</i>	VU	A1c	FJ (e)	1998
<i>Veitchia spiralis</i>	LR/nt		VU (e)	1998
<i>Veitchia vitiensis</i>	LR/lc		FJ (e)	1998
<b>PANDANALES (Palm-like trees and shrubs)</b>				
<b>PANDANACEAE (Screw Pines)</b>				
<i>Pandanus clandestinus</i>	LR/cd		NC (e)	1998
<i>Pandanus decastigma</i>	VU	B1+2c	NC (e)	1998
<i>Pandanus decumbens</i>	VU	B1+2c	NC (e)	1998
<i>Pandanus halleorum</i>	VU	D2	VU (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Pandanus joskei</i>	VU	D2	FJ (e)	1998
<i>Pandanus lacuum</i>	EN	B1+2c	NC (e)	1998
<i>Pandanus papenooensis</i>	LR/nt		PF (e)	1998
<i>Pandanus taveuniensis</i>	VU	D2	FJ (e)	1998
<i>Pandanus temehaniensis</i>	LR/lc		PF (e)	1998
<i>Pandanus verecundus</i>	CR	D	NC (e)	1998
<b>CLASS MAGNOLIOPSIDA (DICOTYLEDONS)</b>				
<b>APIALES (Asterids)</b>				
<b>ARALIACEAE (Ivy)</b>				
<i>Apiopetalum velutinum</i>	LR/cd		NC (e)	1998
<i>Arthrophyllum proliferum</i>	VU	D2	PG (e)	1998
<i>Cheirodendron bastardianum</i>	LR/cd		PF (e)	1998
<i>Meryta brachypoda</i>	CR	B1+2c, C2a	PF, PN	1998
<i>Meryta choristantha</i>	VU	D2	PF (e)	1998
<i>Meryta drakeana</i>	DD		PF (e)	1998
<i>Meryta lanceolata</i>	LR/nt		PF (e)	1998
<i>Meryta lucida</i>	VU	D2	PF (e)	1998
<i>Meryta mauruensis</i>	DD		PF (e)	1998
<i>Meryta raiateensis</i>	DD		PF (e)	1998
<i>Meryta salicifolia</i>	CR	B1+2c	PF (e)	1998
<i>Meryta sonchifolia</i>	VU	B1+2c	NC (e)	1998
<i>Myodocarpus angustialatus</i>	VU	B1+2c	NC (e)	1998
<i>Osmoxylon arrhenicum</i>	VU	D2	PG (e)	1998
<i>Osmoxylon chrysanthum</i>	VU	D2	PG (e)	1998
<i>Osmoxylon corneri</i>	VU	D2	PG (e)	1998
<i>Osmoxylon ellipsoideum</i>	VU	D2	PG (e)	1998
<i>Osmoxylon lanceolatum</i>	VU	D2	PG (e)	1998
<i>Osmoxylon mariannense</i>	CR	C2b	MP (e)	1998
<i>Osmoxylon reburrum</i>	VU	D2	PG (e)	1998
<i>Osmoxylon whitmorei</i>	VU	D2	PG (e)	1998
<i>Polyscias nothisii</i>	VU	B1+2c	NC (e)	1998
<i>Polyscias tahitensis</i>	CR	B1+2c	PF (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Pseudopanax scopoliae</i>	VU	B1+2c	NC (e)	1998
<i>Pseudosciadium balansae</i>	VU	B1+2c	NC (e)	1998
<i>Reynoldsia marchionensis</i>	LR/lc		PF (e)	1998
<i>Reynoldsia verrucosa</i>	LR/lc		PF (e)	1998
<i>Schefflera apioidea</i>	VU	B1+2c	NC (e)	1998
<i>Schefflera costata</i>	VU	D2	FJ (e)	1998
<i>Schefflera euthytricha</i>	DD		FJ (e)	1998
<i>Schefflera seemanniana</i>	LR/lc		FJ (e)	1998
<i>Schefflera veitchii</i>	EN	B1+2c	NC (e)	1998
<i>Schefflera vitiensis</i>	LR/lc		FJ (e)	1998
<b>ASTERALES</b>				
COMPOSITAE (Asters, Daisies, Sunflowers)				
<i>Fitchia cordata</i>	CR	B1+2c	PF (e)	1998
<i>Fitchia mangarevensis</i>	EX		PF (e)	1998
<i>Fitchia nutans</i>	VU	D2	PF (e)	1998
<i>Fitchia rapensis</i>	LR/lc		PF (e)	1998
<i>Fitchia tahitensis</i>	VU	D2	PF (e)	1998
<i>Oparanthus coriaceus</i>	LR/lc		PF (e)	1998
<i>Oparanthus rapensis</i>	LR/lc		PF (e)	1998
<b>CAMPANULALES</b>				
GOODENIACEAE				
<i>Scaevola floribunda</i>	LR/lc		FJ (e)	1998
<b>CARYOPHYLLALES (Cacti, Carnations, Amaranths, Carnivorous plants)</b>				
NYCTAGINACEAE (4 O'clock family)				
<i>Pisonia graciliscens</i>	CR	B1+2c	PF (e)	1998
<i>Pisonia siphonocarpa</i>	DD		PF (e)	1998
<b>CELASTRALES</b>				
CELASTRACEAE (Staff vine)				
<i>Euonymus cochinchinensis</i>	LR/lc		PG	1998
<i>Lophopetalum javanicum</i>	LR/lc		PG	1998
<b>EBENALES</b>				
EBENACEAE				
<i>Diospyros benstonei</i>	CR	C2b	PG (e)	1998
<i>Diospyros fastidiosa</i>	VU	D2	NC (e)	1998
<i>Diospyros gillisonii</i>	EN	A1cd+2cd, C2a	PG (e)	1998
<i>Diospyros impolita</i>	VU	B1+2c	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Diospyros insularis</i>	EN	A1cd+2cd, B1+2c	PG, SB	1998
<i>Diospyros littorea</i>	VU	B1+2c	PG (e)	1998
<i>Diospyros lolinopsis</i>	CR	B1+2c, C2b	PG (e)	1998
<i>Diospyros macrocarpa</i>	LR/cd		NC (e)	1998
<i>Diospyros margaretae</i>	VU	D1	NC (e)	1998
<i>Diospyros minimifolia</i>	VU	B1+2c	NC (e)	1998
<i>Diospyros nebulosa</i>	VU	D2	NC (e)	1998
<i>Diospyros perplexa</i>	VU	B1+2c	NC (e)	1998
<i>Diospyros pustulata</i>	VU	B1+2c	NC (e)	1998
<i>Diospyros trisulca</i>	VU	D1	NC (e)	1998
<i>Diospyros veillonii</i>	CR	D	NC (e)	1998
<b>SAPOTACEAE</b>				
<i>Burckella sorei</i>	LR/nt		PG, SB	1998
<i>Leptostylis gatopensis</i>	EN	B1+2c	NC (e)	1998
<i>Leptostylis goroensis</i>	CR	D	NC (e)	1998
<i>Leptostylis multiflora</i>	VU	B1+2c	NC (e)	1998
<i>Leptostylis petiolata</i>	VU	B1+2c	NC (e)	1998
<i>Madhuca boerlageana</i>	CR	A1cd, C2ab, D	PG	1998
<i>Manilkara kanosiensis</i>	EN	A1cd+2cd, C2a	PG	1998
<i>Nesoluma nadeaudii</i>	DD		PF (e)	1998
<i>Nesoluma polynesianum</i>	VU	A1ce	CK, PF	1998
<i>Island Nesoluma</i>				
<i>Nesoluma st.-johnianum</i>	VU	D2	PN (e)	1998
<i>Niemeyera blanchonii</i>	EN	B1+2c	NC (e)	1998
<i>Niemeyera francei</i>	VU	B1+2c	NC (e)	1998
<i>Palaquium neoebudicum</i>	VU	B1+2c	VU (e)	1998
<i>Pouteria brevipedicellata</i>	EN	B1+2c	NC (e)	1998
<i>Pouteria contermina</i>	EN	B1+2c	NC (e)	1998
<i>Pouteria danikeri</i>	EN	B1+2c	NC (e)	1998
<i>Pouteria kaalaensis</i>	EN	B1+2c	NC (e)	1998
<i>Pouteria pinifolia</i>	EN	B1+2c	NC (e)	1998
<i>Pycnandra kaalaensis</i>	VU	B1+2c	NC (e)	1998
<b>EUPHORBIALES</b>				
<b>EUPHORBIACEAE (Euphorbia)</b>				

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Acalypha lepinei</i>	VU	B1+2c	PF (e)	1998
<i>Acalypha raivavensis</i>	CR	B1+2c	PF (e)	1998
<i>Austrobuxus cracens</i>	VU	D1	NC (e)	1998
<i>Austrobuxus montis-do</i>	LR/cd		NC (e)	1998
<i>Baloghia pininsularis</i>	EN	B1+2c	NC (e)	1998
<i>Bocquillonia arborea</i>	EN	B1+2c	NC (e)	1998
<i>Bocquillonia castaneifolia</i>	EN	B1+2c	NC (e)	1998
<i>Bocquillonia longipes</i>	EN	B1+2c	NC (e)	1998
<i>Chamaesyce atoto</i>	VU	B1+2c	PF (e)	1998
<i>Chamaesyce sachetiana</i>	VU	B1+2c	PF (e)	1998
<i>Claoxylon collenettei</i>	LR/lc		PF (e)	1998
<i>Claoxylon ooumuense</i>	LR/nt		PF (e)	1998
<i>Claoxylon taitense</i>	LR/nt		PF (e)	1998
<i>Cleidion lemurum</i>	CR	D	NC (e)	1998
<i>Cleidion lochmios</i>	VU	B1+2c	NC (e)	1998
<i>Cleidion marginatum</i>	VU	B1+2c	NC (e)	1998
<i>Cleidion veillonii</i>	VU	D2	NC (e)	1998
<i>Cocconerion minus</i>	VU	B1+2c	NC (e)	1998
<i>Croton cordatulus</i>	EN	B1+2c	NC (e)	1998
<i>Glochidion comitum</i>	EN	C2b	PN (e)	1998
<i>Glochidion grantii</i>	VU	B1+2c	PF (e)	1998
<i>Glochidion longfieldiae</i>	LR/lc		PF (e)	1998
<i>Glochidion manono</i>	VU	B1+2c	PF (e)	1998
<i>Glochidion marchionicum</i>	LR/lc		PF (e)	1998
<i>Glochidion moorei</i>	LR/lc		PF (e)	1998
<i>Glochidion myrtifolium</i>	LR/lc		PF (e)	1998
<i>Glochidion nadeaudii</i>	VU	B1+2c	PF (e)	1998
<i>Glochidion papenooense</i>	CR	B1+2c	PF (e)	1998
<i>Glochidion pitcairnense</i>	VU	D2	PN (e)	1998
<i>Glochidion raivavense</i>	EN	B1+2c	PF (e)	1998
<i>Glochidion rapaense</i>	LR/nt		PF (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Glochidion taitense</i>	LR/lc		PF (e)	1998
<i>Glochidion temehaniense</i>	LR/lc		PF (e)	1998
<i>Glochidion toovianum</i>	LR/nt		PF (e)	1998
<i>Macaranga attenuata</i>	LR/lc		PF (e)	1998
<i>Macaranga huahineensis</i>	VU	D2	PF (e)	1998
<i>Macaranga raivavaeensis</i>	CR	B1+2c	PF (e)	1998
<i>Macaranga taitensis</i>	LR/nt		PF (e)	1998
<i>Macaranga venosa</i>	LR/lc		PF (e)	1998
<i>Omalanthus stokesii</i>	LR/nt		PF (e)	1998
<i>Trigonostemon cherrieri</i>	CR	C1	NC (e)	1998
<b>FABALES</b>				
LEGUMINOSAE (Legumes)				
<i>Acacia aulacocarpa</i>	LR/nt		PG	1998
<i>Acacia crassicarpa</i>	VU	A1cd+2cd, B1+2abcd	PG	1998
<i>Acacia mathuataensis</i>	CR	D	FJ (e)	1998
<i>Acacia richii</i>	LR/lc		FJ (e)	1998
<i>Albizia carrii</i>	VU	B1+2c	PG (e)	1998
<i>Albizia guillainii</i>	CR	B1+2c	NC (e)	1998
<i>Archidendron forbesii</i>	VU	B1+2c	PG (e)	1998
<i>Archidendron oblongum</i>	VU	B1+2c	SB (e)	1998
<i>Archidendropsis glandulosa</i>	VU	B1+2c	NC (e)	1998
<i>Archidendropsis lentiscifolia</i>	VU	B1+2c	NC (e)	1998
<i>Archidendropsis paivana</i>	VU	C2a	NC (e)	1998
<i>Cassia artensis</i>	EN	B1+2c	NC (e)	1998
<i>Cynometra falcata</i>	CR	D	FJ (e)	1998
<i>Cynometra insularis</i>	LR/lc		FJ (e)	1998
<i>Erythrina tahitensis</i>	CR	B1+2c	PF (e)	1998
<i>Intsia bijuga</i>	VU	A1cd	AS, PG, SB, VU	1998
<i>Moluccan Ironwood</i>				
<i>Kingiodendron platycarpum</i>	LR/lc	A1cd	FJ (e)	1998
<i>Koompassia grandiflora</i>	VU	A1cd	PG	1998
<i>Maniltoa floribunda</i>	LR/lc	A1cd	FJ (e)	1998
<i>Maniltoa minor</i>	LR/lc		FJ (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Maniltoa vestita</i>	LR/nt		FJ (e)	1998
<i>Parkia korom</i>	VU	D2	FM (e)	1998
<i>Parkia parrii</i>	CR	D	FJ (e)	1998
<i>Parkia parvifoliola</i>	VU	D2	PW (e)	1998
<i>Pericopsis mooniana</i> Nedun Tree	VU	A1cd	FM, PW, PG	1998
<i>Pongamia velutina</i>	VU	B1+2c, C2a	PG (e)	1998
<i>Pterocarpus indicus</i> Red Sandalwood	VU	A1d	PG, SB, VU	1998
<i>Serianthes calycina</i>	VU	C2a	NC (e)	1998
<i>Serianthes margaretae</i>	VU	C2a	NC (e)	1998
<i>Serianthes myriadenia</i>	LR/nt		PF (e)	1998
<i>Serianthes nelsonii</i>	CR	D	GU	1998
<i>Serianthes petitiana</i>	LR/cd		MP (e)	1998
<i>Serianthes rurutensis</i>	CR	B1+2c	PF (e)	1998
<i>Serianthes vitiensis</i>	VU	D2	FJ (e)	1998
<i>Sophora mangarevaensis</i>	EN	B1+2c	PF (e)	1998
<i>Sophora raivavaeensis</i>	EN	B1+2c	PF (e)	1998
<i>Sophora rapaensis</i>	DD		PF (e)	1998
<i>Storckiella vitiensis</i>	VU	D2	FJ (e)	1998
<i>Streblorrhiza speciosa</i>	EX		NF (e)	1998
<b>FAGALES (Birch, Beech, Walnut etc)</b>				
<b>BALANOPACEAE</b>				
<i>Balanops balansae</i>	LR/cd		NC (e)	1998
<b>FAGACEAE (Beech)</b>				
<i>Nothofagus baumanniae</i>	LR/cd		NC (e)	1998
<i>Nothofagus discoidea</i>	VU	D2	NC (e)	1998
<i>Nothofagus nuda</i>	CR	D	PG (e)	1998
<b>GENTIANALES (Gardenias, Frangiani)</b>				
<b>APOCYNACEAE (Dogbane)</b>				
<i>Alstonia breviloba</i>	VU	B1+2c	PG (e)	1998
<i>Alstonia marquisensis</i>	LR/nt		PF (e)	1998
<i>Alstonia rubiginosa</i>	VU	B1+2c	PG (e)	1998
<i>Alstonia scholaris</i> Milkwood pine	LR/lc		PG, SB	1998
<i>Alstonia spathulata</i> Hard milkwood	LR/lc		PG	1998
<i>Cerberiopsis neriifolia</i>	EN	B1+2c	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Cerberiopsis obtusifolia</i>	VU	B1+2c	NC (e)	1998
<i>Lepinia taitensis</i>	CR	B1+2c	PF (e)	1998
<i>Neisosperma brevituba</i>	VU	D2	NC (e)	1998
<i>Neisosperma brownii</i>	EX		PF (e)	1998
<i>Neisosperma sevenetii</i>	EN	B1+2c	NC (e)	1998
<i>Neisosperma thiollierei</i>	CR	B1+2c	NC (e)	1998
<i>Ochrosia fatuhivensis</i>	EX		PF (e)	1998
<i>Ochrosia grandiflora</i>	VU	B1+2c	NC (e)	1998
<i>Ochrosia nukuhivensis</i>	EX		PF (e)	1998
<i>Ochrosia tahitensis</i>	EX		PF (e)	1998
<i>Rauvolfia sachetiae</i>	CR	B1+2c	PF (e)	1998
<i>Tabernaemontana remota</i>	VU	B1+2c	PF	1998
<i>Tabernaemontana thurstonii</i>	LR/lc		FJ (e)	1998
<i>Wrightia laevis</i>	LR/lc		PG	1998
LOGANIACEAE				
<i>Fagraea carstensis</i>	DD		PG (e)	1998
<i>Fagraea gracilipes</i>	LR/nt		FJ (e)	1998
<i>Geniostoma astylum</i>	LR/nt		PF (e)	1998
<i>Geniostoma clavigerum</i>	CR	D	FJ (e)	1998
<i>Geniostoma confertiflorum</i>	LR/lc		FJ (e)	1998
<i>Geniostoma gagneae</i>	DD		PF (e)	1998
<i>Geniostoma macrophyllum</i>	LR/nt		FJ (e)	1998
<i>Geniostoma quadrangulare</i>	LR/lc		PF (e)	1998
<i>Geniostoma rapense</i>	LR/lc		PF (e)	1998
<i>Geniostoma stipulare</i>	EN	D	FJ (e)	1998
<i>Geniostoma umbellatum</i>	VU	D2	PG (e)	1998
<i>Geniostoma uninervium</i>	LR/lc		FJ (e)	1998
<i>Neuburgia alata</i>	LR/nt		FJ (e)	1998
<i>Neuburgia collina</i>	LR/lc		FJ (e)	1998
<i>Neuburgia macrocarpa</i>	LR/nt		FJ (e)	1998
<i>Neuburgia macroloba</i>	EN	D	FJ (e)	1998
<i>Neuburgia tubiflora</i>	VU	D2	PG (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<b>JUGLANDALES</b>				
JUGLANDACEAE (Walnuts) <i>Engelhardtia rigida</i>	LR/lc		PG	1998
<b>LAMIALES (Lavendar, lilac, olives, jasmine, mint, basil etc)</b>				
BORAGINACEAE (Forget-me-not) <i>Argusia argentea</i>	LR/lc		PN	1998
<i>Cordia subcordata</i>	LR/lc		PG, TV, VU	1998
VERBENACEAE <i>Gmelina lignum-vitreum</i>	CR	D	NC (e)	1998
<i>Gmelina vitiensis</i>	LR/nt		FJ (e)	1998
<i>Oxera cauliflora</i>	VU	B1+2c	NC (e)	1998
<i>Oxera crassifolia</i>	LR/cd		NC (e)	1998
<i>Oxera macrocalyx</i>	VU	B1+2c	NC (e)	1998
<i>Oxera nuda</i>	VU	B1+2c	NC (e)	1998
<i>Premna protrusa</i>	LR/lc		FJ (e)	1998
<i>Premna taitensis</i>	LR/lc		PF (e)	1998
<i>Vitex evoluta</i>	EN	B1+2c	NC (e)	1998
<b>LAURALES</b>				
HERNANDIACEAE <i>Hernandia drakeana</i>	EX		PF (e)	1998
<i>Hernandia nukuhivensis</i>	LR/lc		PF (e)	1998
<i>Hernandia stokesii</i>	VU	D2	PF, PN	1998
<i>Hernandia tahitensis</i>	DD		PF (e)	1998
<i>Hernandia temarii</i>	CR	B1+2c	PF (e)	1998
LAURACEAE (Laurels) <i>Cryptocarya bitriplinerva</i>	EN	B1+2c	NC (e)	1998
<i>Endiandra lecardii</i>	VU	D2	NC (e)	1998
<i>Litsea imbricata</i>	EN	B1+2c	NC (e)	1998
<b>LECYTHIDALES</b>				
LECYTHIDACEAE <i>Barringtonia asiatica</i>	LR/lc		AS	1998
<b>MAGNOLIALES (Custard Apples, Magnolias, Nutmeg etc)</b>				
DEGENERIACEAE <i>Degeneria roseiflora</i>	LR/nt		FJ (e)	1998
<i>Degeneria vitiensis</i>	VU	D1	FJ (e)	1998
MYRISTICACEAE (Nutmeg) <i>Horsfieldia ampla</i>	VU	D2	PG (e)	1998
<i>Horsfieldia ampliformis</i>	VU	D2	PG (e)	1998
<i>Horsfieldia clavata</i>	VU	D2	PG (e)	1998
<i>Horsfieldia crux-melitensis</i>	DD		PG (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Horsfieldia leptantha</i>	DD		PG	1998
<i>Horsfieldia olens</i>	LR/lc		PG	1998
<i>Horsfieldia palauensis</i>	LR/nt		PW (e)	1998
<i>Horsfieldia sepikensis</i>	VU	D2	PG (e)	1998
<i>Horsfieldia squamulosa</i>	VU	D2	PG (e)	1998
<i>Horsfieldia sylvestris</i>	LR/lc		PG	1998
<i>Horsfieldia urceolata</i>	VU	D2	PG (e)	1998
<i>Horsfieldia whitmorei</i>	LR/lc		PG, SB	1998
<i>Myristica atresens</i>	VU	D2	PG (e)	1998
<i>Myristica brachypoda</i>	VU	D2	PG (e)	1998
<i>Myristica brevistipes</i>	VU	D2	PG (e)	1998
<i>Myristica buchneriana</i>	VU	A1d	PG	1998
<i>Myristica byssacea</i>	VU	D2	PG (e)	1998
<i>Myristica coacta</i>	VU	D2	PG (e)	1998
<i>Myristica dasycarpa</i>	VU	D2	PG (e)	1998
<i>Myristica fasciculata</i>	VU	D2	PG (e)	1998
<i>Myristica filipes</i>	DD		PG (e)	1998
<i>Myristica gillespieana</i>	LR/lc		FJ (e)	1998
<i>Myristica globosa</i>	LR/nt		PG, SB	1998
<i>Myristica grandifolia</i>	LR/lc		FJ (e)	1998
<i>Myristica guadalcanalensis</i>	LR/nt		SB (e)	1998
<i>Myristica guillauminiana</i>	LR/lc		FJ, SB	1998
<i>Myristica hollrungii</i>	LR/lc		PG (e)	1998
<i>Myristica incredibilis</i>	VU	D2	PG (e)	1998
<i>Myristica inundata</i>	VU	D2	PG (e)	1998
<i>Myristica kalkmanii</i>	LR/lc		PG	1998
<i>Myristica lasiocarpa</i>	VU	D2	PG (e)	1998
<i>Myristica leptophylla</i>	VU	D2	PG (e)	1998
<i>Myristica macrantha</i>	LR/lc		FJ (e)	1998
<i>Myristica mediterranea</i>	VU	D2	PG	1998
<i>Myristica nana</i>	VU	D2	PG (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Myristica olivacea</i>	VU	D2	PG (e)	1998
<i>Myristica ornata</i>	VU	D2	PG (e)	1998
<i>Myristica ovicarpa</i>	VU	D2	PG (e)	1998
<i>Myristica pachycarpidia</i>	VU	D2	PG (e)	1998
<i>Myristica papillatifolia</i>	VU	D2	PG	1998
<i>Myristica petiolata</i>	VU	D2	SB (e)	1998
<i>Myristica pilosella</i>	VU	D2	PG (e)	1998
<i>Myristica polyantha</i>	VU	D2	PG (e)	1998
<i>Myristica psilocarpa</i>	VU	D2	PG (e)	1998
<i>Myristica pygmaea</i>	VU	D2	PG (e)	1998
<i>Myristica schlechteri</i>	VU	D2	PG (e)	1998
<i>Myristica simulans</i>	VU	D2	PG (e)	1998
<i>Myristica sinclairii</i>	VU	D2	PG (e)	1998
<i>Myristica sogeriensis</i>	VU	D2	PG (e)	1998
<i>Myristica xylocarpa</i>	LR/nt		SB (e)	1998
<b>WINTERACEAE (Winter's Bark)</b>				
<i>Zygogynum cristatum</i>	VU	B1+2c	NC (e)	1998
<i>Zygogynum oligostigma</i>	EN	B1+2c	NC (e)	1998
<i>Zygogynum tanyostigma</i>	VU	B1+2c	NC (e)	1998
<b>MALVALES</b>				
<b>ELAEOCARPACEAE</b>				
<i>Elaeocarpus colnettianus</i>	VU	D1	NC (e)	1998
<i>Elaeocarpus homalioides</i>	DD		PG	1998
<i>Elaeocarpus moratii</i>	VU	D1	NC (e)	1998
<i>Sloanea lepida</i>	VU	D1	NC (e)	1998
<i>Sloanea suaveolens</i>	VU	D1	NC (e)	1998
<b>MALVACEAE (Mallows)</b>				
<i>Abutilon sachetianum</i>	VU	B1+2c	PF (e)	1998
<i>Lebronnecia kokioides</i>	EN	D	PF (e)	1998
<b>STERCULIACEAE</b>				
<i>Acropogon aoupiniensis</i>	VU	D2	NC (e)	1998
<i>Acropogon bullatus</i>	VU	B1+2c	NC (e)	1998
<i>Acropogon domatifer</i>	VU	D2	NC (e)	1998
<i>Acropogon fatsioides</i>	VU	B1+2c	NC (e)	1998
<i>Acropogon megaphyllus</i>	VU	D2	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Acropogon veillonii</i>	EN	B1+2c	NC (e)	1998
<i>Brachychiton carruthersii</i>	VU	B1+2c, C2a	PG (e)	1998
<i>Brachychiton velutinosus</i>	VU	B1+2c, C2a	PG	1998
<i>Heritiera longipetiolata</i>	VU	D2	GU, FM, MP	1998
<b>TILIACEAE</b>				
<i>Tahitia vescoana</i>	DD		PF (e)	1998
<b>MYRICALES</b>				
<b>MYRICACEAE</b>				
<i>Canacomyrica monticola</i>	EN	B1ab(i,ii,iv,v)	NC (e)	2004
<b>MYRTALES</b>				
<b>COMBRETACEAE (Leadwoods)</b>				
<i>Terminalia archipelagi</i>	EN	A1cd+2cd, C2a	PG (e)	1998
<i>Terminalia cherrieri</i>	CR	A1c	NC (e)	1998
<i>Terminalia eddowesii</i>	VU	B1+2abcde	PG (e)	1998
<i>Terminalia novocaledonica</i>	VU	B1+2c	NC (e)	1998
<i>Terminalia rerei</i>	VU	B1+2abcde	SB (e)	1998
<b>MELASTOMATACEAE</b>				
<i>Astronidium degeneri</i>	VU	D2	FJ (e)	1998
<i>Astronidium floribundum</i>	CR	D	FJ (e)	1998
<i>Astronidium fraternum</i>	LR/lc		PF (e)	1998
<i>Astronidium glabrum</i>	LR/lc		PF (e)	1998
<i>Astronidium inflatum</i>	CR	D	FJ (e)	1998
<i>Astronidium kasiense</i>	CR	D	FJ (e)	1998
<i>Astronidium lepidotum</i>	CR	D	FJ (e)	1998
<i>Astronidium ligulatum</i>	LR/lc		PF (e)	1998
<i>Astronidium macranthum</i>	LR/nt		FJ (e)	1998
<i>Astronidium ovalifolium</i>	DD		PF (e)	1998
<i>Astronidium pallidiflorum</i>	CR	D	FJ (e)	1998
<i>Astronidium robustum</i>	LR/lc		FJ (e)	1998
<i>Astronidium saccatum</i>	LR/lc		PF (e)	1998
<i>Astronidium saulae</i>	CR	D	FJ (e)	1998
<i>Astronidium storckii</i>	LR/nt		FJ (e)	1998
<i>Astronidium tomentosum</i>	LR/nt		FJ (e)	1998
<i>Astronidium victoriae</i>	LR/lc		FJ (e)	1998
<b>MYRTACEAE (Myrtle, Gum)</b>				
<i>Austromyrtus horizontalis</i>	VU	B1+2c	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Austromyrtus lotoides</i>	VU	B1+2c	NC (e)	1998
<i>Cupheanthus microphyllus</i>	VU	B1+2c	NC (e)	1998
<i>Decaspermum vitiense</i>	LR/lc		FJ (e)	1998
<i>Fiji Christmas Bush</i>				
<i>Eucalyptopsis papuana</i>	LR/nt		PG	1998
<i>Eugenia daenikeri</i>	EN	B1+2c	NC (e)	1998
<i>Eugenia ericoides</i>	VU	B1+2c	NC (e)	1998
<i>Eugenia gatopensis</i>	VU	B1+2c	NC (e)	1998
<i>Eugenia kaalensis</i>	VU	B1+2c	NC (e)	1998
<i>Eugenia mackeeana</i>	VU	B1+2c	NC (e)	1998
<i>Eugenia noumeensis</i>	VU	D2	NC (e)	1998
<i>Eugenia virotii</i>	VU	B1+2c	NC (e)	1998
<i>Metrosideros humboldtiana</i>	LR/cd		NC (e)	1998
<i>Metrosideros ochrantha</i>	VU	D2	FJ (e)	1998
<i>Metrosideros punctata</i>	VU	B1+2c	NC (e)	1998
<i>Syzygium amplifolium</i>	VU	D2	FJ (e)	1998
<i>Syzygium diffusum</i>	LR/lc		FJ (e)	1998
<i>Syzygium fijiense</i>	LR/lc		FJ (e)	1998
<i>Syzygium minus</i>	EN	D	FJ (e)	1998
<i>Syzygium phaeophyllum</i>	CR	D	FJ (e)	1998
<i>Syzygium purpureum</i>	LR/lc		FJ (e)	1998
<i>Syzygium seemannianum</i>	LR/lc		FJ (e)	1998
<i>Syzygium wolfii</i>	VU	D2	FJ (e)	1998
<i>Tristaniopsis lucida</i>	LR/cd		NC (e)	1998
<i>Tristaniopsis macphersonii</i>	VU	D2	NC (e)	1998
<i>Tristaniopsis minutiflora</i>	VU	B1+2c	NC (e)	1998
<i>Tristaniopsis polyandra</i>	EN	B1+2c	NC (e)	1998
<i>Tristaniopsis reticulata</i>	VU	B1+2c	NC (e)	1998
<i>Tristaniopsis vieillardii</i>	VU	B1+2c	NC (e)	1998
<i>Tristaniopsis yateensis</i>	EN	B1+2c	NC (e)	1998
<i>Xanthostemon glaucus</i>	CR	D	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Xanthostemon oppositifolius</i>	EN	B1+2c, C2a	PG	1998
<i>Xanthostemon sebertii</i>	EX		NC (e)	1998
<i>Xanthostemon sulfureus</i>	VU	B1+2c	NC (e)	1998
THYMELAEACEAE (Daphne) <i>Gonystylus macrophyllus</i>	VU	A1cd	PG, SB	1998
<i>Wikstroemia coriacea</i>	LR/lc		PF (e)	1998
<b>NEPENTHALES</b>				
NEPENTHACEAE (Pitcher Plants) <i>Nepenthes ampullaria</i>	LR/lc		PG	2000
<i>Nepenthes maxima</i>	LR/lc		PG	2000
<i>Nepenthes mirabilis</i>	LR/lc		PG	2000
<i>Nepenthes neoguineensis</i>	LR/lc		PG	2000
<i>Nepenthes veillardii</i>	LR/lc		NC (e)	2000
<b>PRIMULALES</b>				
MYRSINACEAE (Myrsine) <i>Myrsine adamsonii</i>	DD		PF (e)	1998
<i>Myrsine andersonii</i>	CR	B1+2c	PF (e)	1998
<i>Myrsine brownii</i>	CR	B1+2c	PF (e)	1998
<i>Myrsine collina</i>	LR/lc		PF (e)	1998
<i>Myrsine falcata</i>	LR/lc		PF (e)	1998
<i>Myrsine fasciculata</i>	LR/lc		PF (e)	1998
<i>Myrsine fusca</i>	LR/lc		PF (e)	1998
<i>Myrsine gracilissima</i>	DD		PF (e)	1998
<i>Myrsine hartii</i>	CR	B1+2c	PF (e)	1998
<i>Myrsine hosakae</i>	VU	D2	PN (e)	1998
<i>Myrsine longifolia</i>	CR	B1+2c	PF (e)	1998
<i>Myrsine niauensis</i>	LR/lc		PF (e)	1998
<i>Myrsine nukuhivensis</i>	LR/lc		PF (e)	1998
<i>Myrsine obovata</i>	DD		PF (e)	1998
<i>Myrsine orohenensis</i>	DD		PF (e)	1998
<i>Myrsine raiateensis</i>	DD		PF (e)	1998
<i>Myrsine rapensis</i>	LR/lc		PF (e)	1998
<i>Myrsine ronuiensis</i>	CR	B1+2c	PF (e)	1998
<i>Myrsine tahuatensis</i>	DD		PF (e)	1998
<i>Tapeinosperma campanula</i>	VU	D1	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<b>PROTEALES</b>				
PROTEACEAE (Macadamias, Banksia etc)				
<i>Alloxylon brachycarpum</i>	EN	A2cd	PG	1998
<i>Beauprea crassifolia</i>	VU	D2	NC (e)	1998
<i>Bleasdalea papuana</i>	EN	C2a	PG	1998
<i>Helicia acutifolia</i>	VU	D2	PG (e)	1998
<i>Helicia albiflora</i>	LR/nt		PG (e)	1998
<i>Helicia amplifolia</i>	LR/nt		PG (e)	1998
<i>Helicia australasica</i>	VU	C2b	PG	1998
<i>Helicia calocoma</i>	VU	B1+2c	PG (e)	1998
<i>Helicia insularis</i>	EN	B1+2abcde	PG (e)	1998
<i>Helicia latifolia</i>	LR/nt		PG (e)	1998
<i>Helicia neglecta</i>	VU	A1cd, C2a	PG (e)	1998
<i>Helicia peekelii</i>	VU	D2	PG (e)	1998
<i>Helicia peltata</i>	CR	B1+2abcde	PG (e)	1998
<i>Helicia polyosmoides</i>	CR	B1+2abcde	PG (e)	1998
<i>Helicia retusa</i>	VU	D2	PG (e)	1998
<i>Helicia rostrata</i>	VU	D2	PG (e)	1998
<i>Helicia subcordata</i>	CR	B1+2abcde	PG (e)	1998
<i>Kermadecia pronyensis</i>	VU	D2	NC (e)	1998
<i>Macadamia neurophylla</i>	VU	B1+2c	NC (e)	1998
<i>Stenocarpus dumbeensis</i>	EX		NC (e)	1998
<i>Stenocarpus heterophyllus</i>	EN	B1+2c	NC (e)	1998
<i>Stenocarpus villosus</i>	CR	D	NC (e)	1998
<b>RHAMNALES</b>				
RHAMNACEAE (Buckthorns)				
<i>Alphitonia erubescens</i>	VU	B1+2c	NC (e)	1998
<i>Alphitonia marquesensis</i>	LR/lc		PF (e)	1998
<i>Emmenosperma pancherianum</i>	VU	B1+2c	NC (e)	1998
<b>RHIZOPHORALES</b>				
RHIZOPHORACEAE (Mangroves)				
<i>Rhizophora apiculata</i>	LR/lc		GU, FM, NC, PG, SB, VU	1998
<b>ROSALES (Roses, Elms, Figs etc)</b>				
BYBLIDACEAE (Rainbow plants)				
<i>Byblis liniflora</i>	LR/lc		PG	2000
CHRYSOBALANACEAE				

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
(Chrysobalanus) <i>Atuna elliptica</i>	VU	D2	FJ (e)	1998
<i>Hunga cordata</i>	EN	B1+2c	NC (e)	1998
<i>Hunga gerontogea</i>	VU	B1+2c	NC (e)	1998
<i>Hunga guillauminii</i>	VU	B1+2c	NC (e)	1998
<i>Hunga mackeeana</i>	VU	B1+2c	NC (e)	1998
<i>Maranthes corymbosa</i>	LR/lc		FM, SB	1998
CUNONIACEAE				
<i>Acsmithia vitiense</i>	EN	D	FJ (e)	1998
<i>Ceratopetalum succirubrum</i>	VU	A2cd	PG	1998
<i>Cunonia aoupiniensis</i>	VU	D2	NC (e)	1998
<i>Cunonia ouaiemensis</i>	VU	D2	NC (e)	1998
<i>Cunonia rotundifolia</i>	LR/cd		NC (e)	1998
<i>Geissois imthurnii</i>	EN	D	FJ (e)	1998
<i>Geissois stipularis</i>	EN	D	FJ (e)	1998
<i>Geissois superba</i>	VU	D1	FJ (e)	1998
<i>Pancheria humboldtiana</i>	LR/cd		NC (e)	1998
<i>Pancheria multijuga</i>	LR/cd		NC (e)	1998
<i>Pancheria robusta</i>	LR/cd		NC (e)	1998
<i>Pullea perryana</i>	LR/nt		FJ (e)	1998
<i>Spiraeanthemum graeffei</i>	EN	D	FJ (e)	1998
<i>Spiraeanthemum katakata</i>	LR/lc		FJ (e)	1998
<i>Spiraeanthemum serratum</i>	EN	D	FJ (e)	1998
<i>Weinmannia affinis</i>	LR/lc		FJ (e)	1998
<i>Weinmannia exigua</i>	CR	C2b, D	FJ (e)	1998
<i>Weinmannia ouaiemensis</i>	VU	D1	NC (e)	1998
<i>Weinmannia raiateensis</i>	LR/nt		PF (e)	1998
<i>Weinmannia rapensis</i>	LR/lc		PF (e)	1998
<i>Weinmannia richii</i>	LR/lc		FJ (e)	1998
<i>Weinmannia spiraeoides</i>	EX		FJ (e)	1998
<i>Weinmannia vitiensis</i>	VU	D1	FJ (e)	1998
ESCALLONIACEAE				
<i>Platyspermation crassifolium</i>	LR/cd		NC (e)	1998
PITTOSPORACEAE (Pittosporum)				

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Pittosporum aliferum</i>	EN	B1+2c	NC (e)	1998
<i>Pittosporum artense</i>	VU	B1+2c	NC (e)	1998
<i>Pittosporum brevispinum</i>	CR	D	NC (e)	1998
<i>Pittosporum collinum</i>	VU	B1+2c	NC (e)	1998
<i>Pittosporum gatopense</i>	EN	B1+2c	NC (e)	1998
<i>Pittosporum gomonenense</i>	EN	B1+2c	NC (e)	1998
<i>Pittosporum muricatum</i>	EN	B1+2c	NC (e)	1998
<i>Pittosporum ornatum</i>	EN	B1+2c	NC (e)	1998
<i>Pittosporum orohenense</i>	VU	B1+2c	PF (e)	1998
<i>Pittosporum paniense</i>	VU	D2	NC (e)	1998
<i>Pittosporum pickeringii</i>	LR/lc		FJ (e)	1998
<i>Pittosporum raivavaeense</i>	CR	B1+2c	PF (e)	1998
<i>Pittosporum rapense</i>	LR/lc		PF (e)	1998
<i>Pittosporum rhytidocarpum</i>	LR/lc		FJ (e)	1998
<i>Pittosporum stenophyllum</i>	EN	B1+2c	NC (e)	1998
<i>Pittosporum taitense</i>	LR/lc		PF (e)	1998
<i>Pittosporum tanium</i>	CR	D	NC (e)	2004
<b>RUBIALES</b>				
RUBIACEAE (Coffee)				
<i>Bikkia kaalaensis</i>	EN	B1+2c	NC (e)	1998
<i>Bikkia lenormandii</i>	EN	B1+2c	NC (e)	1998
<i>Bikkia pachyphylla</i>	LR/cd		NC (e)	1998
<i>Canthium suborbiculare</i>	VU	D2	PG (e)	1998
<i>Captaincookia margaretae</i>	CR	B1+2c	NC (e)	1998
<i>Coprosma cookei</i>	DD		PF (e)	1998
<i>Coprosma esulcata</i>	DD		PF (e)	1998
<i>Coprosma nephelephila</i>	LR/lc		PF (e)	1998
<i>Coprosma orohenensis</i>	LR/lc		PF (e)	1998
<i>Coprosma reticulata</i>	LR/lc		PF (e)	1998
<i>Cyclophyllum tenuipes</i>	VU	D1	NC (e)	1998
<i>Gardenia anapetes</i>	CR	D	FJ (e)	1998
<i>Gardenia candida</i>	CR	D	FJ (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Gardenia gordonii</i>	LR/nt		FJ (e)	1998
<i>Gardenia grieviei</i>	EN	C2a	FJ (e)	1998
<i>Gardenia hillii</i>	VU	B1+2c	FJ (e)	1998
<i>Gardenia hutchinsoniana</i>	LR/lc		FJ (e)	1998
<i>Gardenia storckii</i>	LR/nt		FJ (e)	1998
<i>Gardenia vitiensis</i>	CR	D	FJ (e)	1998
<i>Guettarda noumeana</i>	VU	B1+2c	NC (e)	1998
<i>Ixora brevipedunculata</i>	DD		PF (e)	1998
<i>Ixora marquesensis</i>	DD		PF (e)	1998
<i>Ixora moorensis</i>	LR/lc		PF (e)	1998
<i>Ixora ooumuensis</i>	DD		PF (e)	1998
<i>Ixora raiateensis</i>	LR/nt		PF (e)	1998
<i>Ixora raivavaensis</i>	LR/nt		PF (e)	1998
<i>Ixora setchellii</i>	LR/lc		PF (e)	1998
<i>Ixora st.-johnii</i>	DD		PF (e)	1998
<i>Ixora stokesii</i>	LR/lc		PF (e)	1998
<i>Ixora temehaniensis</i>	DD		PF (e)	1998
<i>Ixora umbellata</i>	DD		PF (e)	1998
<i>Mastixiodendron plectocarpum</i>	LR/nt		PG	1998
<i>Mastixiodendron stoddardii</i>	VU	A1cd+2cd, B1+2abcde	PG, SB	1998
<i>Psychotria adamsonii</i>	DD		PF (e)	1998
<i>Psychotria atricaulis</i>	LR/nt		PF (e)	1998
<i>Psychotria cookei</i>	DD		PF (e)	1998
<i>Psychotria deverdiana</i>	EN	B1+2c	NC (e)	1998
<i>Psychotria franchetiana</i>	DD		PF (e)	1998
<i>Psychotria grantii</i>	CR	B1+2c	PF (e)	1998
<i>Psychotria le-bronnecii</i>	DD		PF (e)	1998
<i>Psychotria lepiniana</i>	VU	B1+2c	PF (e)	1998
<i>Psychotria raivavaensis</i>	LR/lc		PF (e)	1998
<i>Psychotria speciosa</i>	CR	B1+2c	PF (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Psychotria tahitensis</i>	CR	B1+2c	PF (e)	1998
<i>Psychotria trichocalyx</i>	CR	B1+2c	PF (e)	1998
<i>Psychotria tubuaiensis</i>	DD		PF (e)	1998
<i>Psydrax paradoxa</i>	VU	B1+2c	NC (e)	1998
<b>SANTALALES</b>				
SANTALACEAE (Sandalwood)				
<i>Santalum macgregorii</i>	EN	A1cd, C1	PG	1998
<b>SAPINDALES</b>				
ANACARDIACEAE (Cashews)				
<i>Euroschinus aoupiniensis</i>	VU	B1+2c	NC (e)	1998
<i>Euroschinus jaffrei</i>	VU	B1+2c	NC (e)	1998
<i>Gluta papuana</i>	VU	A1cd+2cd	PG	1998
<i>Mangifera altissima</i>	VU	A1d	PG, SB	1998
<i>Mangifera caesia</i>	LR/lc		PG	1998
<a href="#">Mango</a>				
<i>Mangifera odorata</i>	DD		GU	1998
<i>Pentaspadon motleyi</i>	DD		PG, SB	1998
<i>Semecarpus riparia</i>	EN	B1+2c	NC (e)	1998
BURSERACEAE (Torchwoods)				
<i>Canarium asperum</i>	LR/lc		PG, SB	1998
<i>Canarium liguliferum</i>	DD		SB (e)	1998
<i>Canarium whitei</i>	CR	C2a	NC (e)	1998
<i>Rosselia bracteata</i>	VU	B1+2c	PG (e)	1998
MELIACEAE (Mahogany)				
<i>Aglaiia agglomerata</i>	LR/nt		PG	1998
<i>Aglaiia amplexicaulis</i>	VU	D2	FJ (e)	1998
<i>Aglaiia archiboldiana</i>	VU	D2	FJ (e)	1998
<i>Aglaiia argentea</i>	LR/lc		PG, SB	1998
<i>Aglaiia barbanthera</i>	VU	A1c	PG	1998
<i>Aglaiia basiphylla</i>	VU	A1c	FJ (e)	1998
<i>Aglaiia brassii</i>	VU	A1c	PG, SB	1998
<i>Aglaiia brownii</i>	VU	A1c	PG	1998
<i>Aglaiia cinnamomea</i>	VU	Ac	PG	1998
<i>Aglaiia cremea</i>	VU	A1c	PG (e)	1998
<i>Aglaiia cucullata</i>	LR/nt		PG	1998
<a href="#">Pacific Maple</a>				
<i>Aglaiia cuspidata</i>	VU	D2	PG (e)	1998
<i>Aglaiia elaeagnoidea</i>	LR/lc		AS, NC, PG, WS, VU	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Aglaia euryanthera</i>	LR/nt		PG	1998
<i>Aglaia evansensis</i>	CR	D	FJ (e)	1998
<i>Aglaia flavescens</i>	VU	D2	PG	1998
<i>Aglaia flavida</i>	LR/nt		PG	1998
<i>Aglaia fragilis</i>	VU	D2	FJ (e)	1998
<i>Aglaia gracilis</i>	CR	D	FJ (e)	1998
<i>Aglaia heterotricha</i>	CR	D	TO (e)	1998
<i>Aglaia integrifolia</i>	VU	D2	PG (e)	1998
<i>Aglaia lawii</i>	LR/lc		PG, SB	1998
<i>Aglaia lepidopetala</i>	LR/nt		PG	1998
<i>Aglaia leporrhachis</i>	VU	A1c	PG	1998
<i>Aglaia leucoclada</i>	VU	A1c	PG (e)	1998
<i>Aglaia mackiana</i>	CR	D	PG (e)	1998
<i>Aglaia mariannensis</i>	VU	A1c	GU, MP, PW	1998
<i>Aglaia parksii</i>	VU	A1c	FJ, PG, SB	1998
<i>Aglaia parviflora</i>	LR/nt		PG, SB	1998
<i>Aglaia penningtoniana</i>	VU	A1c	PG (e)	1998
<i>Aglaia polyneura</i>	VU	D2	PG	1998
<i>Aglaia puberulanthera</i>	VU	D2	PG	1998
<i>Aglaia rimosa</i>	LR/nt		PG	1998
<i>Aglaia rubrivenia</i>	VU	A1c	PG, SB	1998
<i>Aglaia saltatorum</i>	VU	A1c	FJ, NU, SB, TO, VU, WF	1998
<i>Aglaia samoensis</i>	LR/nt		AS, PG, WS, SB, VU, WF	1998
<i>Aglaia sapindina</i>	LR/lc		PG, SB	1998
<i>Aglaia sexipetala</i>	LR/nt		PG	1998
<i>Aglaia silvestris</i>	LR/nt		PG, SB	1998
<i>Aglaia spectabilis</i>	LR/lc		PG, SB	1998
<i>Aglaia subcuprea</i>	LR/nt		PG	1998
<i>Aglaia tomentosa</i>	LR/lc		PG	1998
<i>Aglaia unifolia</i>	CR	D	FJ (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Aglaia vitiensis</i>	LR/nt		FJ (e)	1998
<i>Chisocheton stellatus</i>	VU	B1+2c, C2a	PG	1998
<i>Dysoxylum pachypodum</i>	CR	D	NC (e)	1998
RUTACEAE (Citrus)				
<i>Boronella koniamboensis</i>	VU	B1+2c	NC (e)	1998
<i>Dutailleya amosensis</i>	VU	D1	NC (e)	1998
<i>Flindersia amboinensis</i>	LR/nt		PG	1998
<i>Flindersia ifflaina</i>	EN	A2cd, B1+2c	PG	1998
<i>Flindersia laevis</i>	VU	C1+2a	PG	1998
<i>Flindersia pimenteliana</i>	EN	C2a	PG	1998
<i>Flindersia schottiana</i>	LR/nt		PG	1998
<i>Geijera salicifolia</i>	LR/nt		NC, PG	1998
<i>Halfordia papuana</i>	CR	C2a	PG (e)	1998
<i>Melicope fatuhivensis</i>	CR	B1+2c	PF (e)	1998
<i>Melicope nukuhivensis</i>	LR/nt		PF (e)	1998
<i>Melicope revoluta</i>	LR/lc		PF (e)	1998
<i>Melicope tahitensis</i>	LR/nt		PF (e)	1998
<i>Oxanthera aurantium</i>	VU	B1+2c	NC (e)	1998
<i>Oxanthera brevipes</i>	VU	B1+2c	NC (e)	1998
<i>Oxanthera fragrans</i>	EN	B1+2c	NC (e)	1998
<i>Oxanthera neocaledonica</i>	EN	B1+2c	NC (e)	1998
<i>Oxanthera undulata</i>	CR	D	NC (e)	1998
<i>Sarcomelicope glauca</i>	CR	B1+2c	NC (e)	1998
<i>Zanthoxylum nadeaudii</i>	DD		PF (e)	1998
<i>Zieria chevalieri</i>	VU	B1+2c	NC (e)	1998
SAPINDACEAE (Soapberries)				
<i>Alectryon repandodentatus</i>	VU	B1+2c	PG	1998
<i>Allophylus marquesensis</i>	DD		PF (e)	1998
<i>Allophylus rapensis</i>	DD		PF (e)	1998
<i>Allophylus rhomboidalis</i>	LR/lc		PF, PN	1998
<i>Arytera macrobotrys</i>	LR/lc		PG	1998
<i>Arytera nekorensis</i>	VU	B1+2c	NC (e)	1998
<i>Cossinia trifoliata</i>	VU	B1+2c	NC (e)	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Cupaniopsis acuticarpa</i>	VU	D2	PG (e)	1998
<i>Cupaniopsis bullata</i>	VU	D2	PG (e)	1998
<i>Cupaniopsis crassivalvis</i>	EX		NC (e)	1998
<i>Cupaniopsis euneura</i>	VU	D2	PG (e)	1998
<i>Cupaniopsis glabra</i>	EN	B1+2c	NC (e)	1998
<i>Cupaniopsis globosa</i>	VU	B1+2c	NC (e)	1998
<i>Cupaniopsis mouana</i>	EN	B1+2c	NC (e)	1998
<i>Cupaniopsis napaensis</i>	VU	D2	PG (e)	1998
<i>Cupaniopsis phanerophleibia</i>	VU	D2	PG (e)	1998
<i>Cupaniopsis rosea</i>	EN	B1+2c	NC (e)	1998
<i>Cupaniopsis rotundifolia</i>	EN	B1+2c	NC (e)	1998
<i>Cupaniopsis squamosa</i>	EN	B1+2c	NC (e)	1998
<i>Cupaniopsis subfalcata</i>	EN	B1+2c	NC (e)	1998
<i>Cupaniopsis tontoutensis</i>	EN	B1+2c	NC (e)	1998
<i>Elattostachys aiyurensis</i>	VU	D2	PG (e)	1998
<i>Elattostachys dzumacensis</i>	VU	D1	NC (e)	1998
<i>Elattostachys goropuensis</i>	VU	D2	PG (e)	1998
<i>Elattostachys rubrofructus</i>	VU	B1+2c	PG (e)	1998
<i>Guioa grandifoliola</i>	CR	B1+2c	PG (e)	1998
<i>Guioa hospita</i>	CR	D	PG (e)	1998
<i>Guioa molliuscula</i>	VU	D2	PG (e)	1998
<i>Guioa normanbiensis</i>	VU	D2	PG (e)	1998
<i>Guioa novobritannica</i>	VU	D2	PG (e)	1998
<i>Guioa oligotricha</i>	VU	D2	PG	1998
<i>Guioa pauciflora</i>	VU	D2	PG	1998
<i>Guioa plurinervis</i>	VU	D2	PG (e)	1998
<i>Guioa scalariformis</i>	VU	D2	PG (e)	1998
<i>Guioa unguiculata</i>	VU	D2	PG (e)	1998
SIMAROUBACEAE <i>Ailanthus integrifolia</i> <a href="#">White Siris</a>	LR/lc		PG, SB	1998
<b>SCROPHULARIALES</b>				
ACANTHACEAE (Acanthus)				

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Graptophyllum repandum</i>	LR/nt		FJ (e)	1998
BIGNONIACEAE (Jacarandas) <i>Dolichandrone spathacea</i>	LR/lc		NC	1998
GESNERIACEAE (African Violets) <i>Cyrtandra anthropophagorum</i>	LR/lc		FJ (e)	1998
<i>Cyrtandra denhamii</i>	VU	D2	FJ (e)	1998
<i>Cyrtandra feaniana</i>	LR/nt		PF (e)	1998
<i>Cyrtandra kandavuensis</i>	VU	D2	FJ (e)	1998
<i>Cyrtandra natewaensis</i>	VU	D2	FJ (e)	1998
<i>Cyrtandra spathacea</i>	VU	D2	FJ (e)	1998
<i>Cyrtandra tavinunensis</i>	VU	D2	FJ (e)	1998
<i>Cyrtandra tempestii</i>	VU	D2	FJ (e)	1998
MYOPORACEAE <i>Myoporum rapense</i>	LR/lc		PF (e)	1998
<i>Myoporum rimatarense</i>	DD		PF (e)	1998
<i>Myoporum stokesii</i>	CR	B1+2c	PF (e)	1998
<b>THEALES</b>				
DIPTEROCARPACEAE (Dipterocarps) <i>Hopea aptera</i>	DD		PG (e)	1998
<i>Hopea glabrifolia</i>	DD		PG (e)	1998
<i>Hopea inexpectata</i>	CR	A1cd, B1+2c	PG (e)	1998
<i>Hopea scabra</i>	DD		PG (e)	1998
<i>Hopea ultima</i>	DD		PG (e)	1998
<i>Vatica rassak</i>	LR/lc		PG (e)	1998
GUTTIFERAE (St Johns Wort, Mangosteen) <i>Calophyllum acutiputamen</i>	CR	B1+2abcde	PG (e)	1998
<i>Calophyllum bicolor</i>	LR/lc		PG	1998
<i>Calophyllum brassii</i>	DD		PG	1998
<i>Calophyllum collinum</i>	DD		PG	1998
<i>Calophyllum confusum</i>	VU	B1+2abcde	SB (e)	1998
<i>Calophyllum euryphyllum</i>	LR/lc		PG	1998
<i>Calophyllum goniocarpum</i>	LR/lc		PG	1998
<i>Calophyllum heterophyllum</i>	DD		PG	1998
<i>Calophyllum inophyllum</i> Borneo Mahogany	LR/lc		FJ, NC, PG, TV	1998
<i>Calophyllum laticostatum</i>	DD		PG	1998

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Calophyllum morobense</i>	EN	B1+2c	PG (e)	1998
<i>Calophyllum neo-ebudicum</i>	LR/lc		AS, FJ, PG, WS, SB, TO, VU	1998
<i>Calophyllum novoguineense</i>	LR/lc		PG	1998
<i>Calophyllum obscurum</i>	VU	B1+2c	SB (e)	1998
<i>Calophyllum papuanum</i>	LR/lc		PG	1998
<i>Calophyllum pauciflorum</i>	LR/lc		PG	1998
<i>Calophyllum peekelii</i>	LR/lc		PG, SB	1998
<i>Calophyllum persimile</i>	DD		PG	1998
<i>Calophyllum piluliferum</i>	DD		PG	1998
<i>Calophyllum robustum</i>	VU	B1+2abcde	PG (e)	1998
<i>Calophyllum sil</i>	LR/lc		PG	1998
<i>Calophyllum streimannii</i>	DD		PG (e)	1998
<i>Calophyllum vexans</i>	LR/lc		PG	1998
<i>Calophyllum waliense</i>	EN	B1+2abcde	PG (e)	1998
<i>Kayea coriacea</i>	VU	D2	PG (e)	1998
<i>Kayea macrophylla</i>	VU	D2	PG	1998
<i>Mammea grandifolia</i>	VU	D2	PG	1998
<i>Mammea novoguineensis</i>	DD		PG	1998
<i>Mammea papuana</i>	VU	D2	PG (e)	1998
<i>Mammea papyracea</i>	VU	D2	PG (e)	1998
<i>Mammea veimauriensis</i>	VU	D2	PG (e)	1998
<i>Montrouziera cauliflora</i>	VU	B1+2c	NC (e)	1998
THEACEAE (Tea)				
<i>Adinandra forbesii</i>	LR/nt		PG	1998
<i>Eurya rapensis</i>	LR/lc		PF (e)	1998
<b>URTICALES</b>				
MORACEAE (Mulberry,Figs)				
<i>Ficus mutabilis</i>	VU	B1+2c	NC (e)	1998
<i>Metatrophis margaretae</i>	DD		PF (e)	1998
<i>Streblus sclerophyllus</i>	VU	B1+2c	NC (e)	1998
ULMACEAE (Elms)				
<i>Celtis balansae</i>	VU	B1+2c	NC (e)	1998
<i>Celtis hypoleuca</i>	EN	B1+2c	NC (e)	1998
<i>Trema discolor</i>	LR/lc		PF (e)	1998
URTICACEAE (Nettles)				

	Red List category	Red List criteria	Geographical range (e) = endemic; (re) = regional endemic	Year assessed
<i>Pipturus schaeferi</i>	VU	B1+2c	PF (e)	1998
<b>VIOLALES</b>				
DATISACEAE (Datisca) <i>Octomeles sumatrana</i>	LR/lc		PG, SB	1998
FLACOURTIACEAE (Flacourtia) <i>Casearia coriifolia</i>	LR/cd		NC (e)	1998
<i>Casearia kaalaensis</i>	EN	B1+2c	NC (e)	1998
<i>Homalium betulifolium</i>	EN	B1+2c	NC (e)	1998
<i>Homalium buxifolium</i>	EN	B1+2c	NC (e)	1998
<i>Homalium foetidum</i>	LR/lc		PG (e)	1998
<i>Homalium juxtapositum</i>	EN	B1+2c	NC (e)	1998
<i>Homalium mathieuanum</i>	EN	B1+2c	NC (e)	1998
<i>Homalium moto</i>	LR/lc		PF (e)	1998
<i>Homalium mouo</i>	LR/lc		PF (e)	1998
<i>Homalium polystachyum</i>	EN	B1+2c	NC (e)	1998
<i>Homalium rubiginosum</i>	VU	B1+2c	NC (e)	1998
<i>Homalium rubrocostatum</i>	EN	B1+2c	NC (e)	1998
<i>Homalium sleumerianum</i>	VU	B1+2c	NC (e)	1998
<i>Homalium taypau</i>	VU	D2	PN (e)	1998
<i>Lasiochlamys hurlimannii</i>	EN	B1+2c	NC (e)	1998
<i>Lasiochlamys mandjeliana</i>	VU	D2	NC (e)	1998
<i>Lasiochlamys pseudocoriacea</i>	VU	D2	NC (e)	1998
<i>Lasiochlamys trichostemona</i>	LR/cd		NC (e)	1998
<i>Xylosma boulindae</i>	VU	D1	NC (e)	1998
<i>Xylosma capillipes</i>	CR	B1+2c	NC (e)	1998
<i>Xylosma grossecrenatum</i>	CR	D	NC (e)	1998
<i>Xylosma inaequinervium</i>	EN	B1+2c	NC (e)	1998
<i>Xylosma kaalense</i>	VU	B1+2c	NC (e)	1998
<i>Xylosma molestum</i>	VU	D2	NC (e)	1998
<i>Xylosma peltatum</i>	CR	B1+2c	NC (e)	1998
<i>Xylosma pininsulare</i>	CR	B1+2c	NC (e)	1998
<i>Xylosma serpentinum</i>	VU	D2	NC (e)	1998
<i>Xylosma tuberculatum</i>	VU	D2	NC (e)	1998